

*-Computersmodellen van Epilepsie, Aanvalsdetectie,
Hersenstimulatie en prikkelbaarheid van de hersenen-*

1. Van Andel J, Ungureanu C, Arends JB, Tan F, van Dijk J, Petkov G, Kalitzin SN, Gutter T, de Weerd A, Vledder B, Thijs RD, van Thiel G, Roes K, Leijten F. Multimodal, automated detection of nocturnal motor seizures at home: Is a reliable seizure detector feasible? *Epilepsia Open*. 2017;doi:10.1002/epi4.12076
2. Lamberink HJ, Otte WM, Geerts AT, Pavlovic M, Ramos-Lizana J, Marson AG, Overweg J, Sauma L, Specchio LM, Tennison M, Cardoso TMO, Shinnar S, Schmidt D, Geleijns K, Braun KPJ. Individualised prediction model of seizure recurrence and long-term outcomes after withdrawal of antiepileptic drugs in seizure-free patients: a systematic review and individual participant data meta-analysis. *Lancet Neurol*. 2017;16:523-531
3. Bauer PR, de Goede AA, Ter Braack EM, van Putten MJ, Gill RD, Sander JW. Transcranial magnetic stimulation as a biomarker for epilepsy. *Brain*. 2017;140:e18
4. Bauer PR, Gorgels K, Spetgens W, van Klink NE, Leijten FS, Sander JW, Visser GH, Zijlmans M. The topographical distribution of epileptic spikes in juvenile myoclonic epilepsy with and without photosensitivity. *Clin Neurophysiol*. 2017;128:176-182
5. Bauer PR, Thijs RD, Lamberts RJ, Velis DN, Visser GH, Tolner EA, Sander JW, Lopes da Silva FH, Kalitzin SN. Dynamics of convulsive seizure termination and postictal generalized EEG suppression. *Brain*. 2017;140:655-668
6. Cox FM, Reus EE, Visser GH. Timing of first event in inpatient long-term video-EEG monitoring for diagnostic purposes. *Epilepsy Res*. 2017;129:91-94
7. Beniczky S, Aurlien H, Brøgger JC, Hirsch LJ, Schomer DL, Trinkka E, Pressler RM, Wennberg R, Visser GH, Eisermann M, Diehl B, Lesser RP, Kaplan PW, Nguyen The Tich S, Lee JW, Martins-da-Silva A, Stefan H, Neufeld M, Rubboli G, Fabricius M, Gardella E, Terney D, Meritam P, Eichele T, Asano E, Cox F, van Emde Boas W, Mameniskiene R, Marusic P, Zárubová J, Schmitt FC, Rosén I, Fuglsang-Frederiksen A, Ikeda A, MacDonald DB, Terada K, Ugawa Y, Zhou D, Herman ST. Standardized computer-based organized reporting of EEG: SCORE - Second version. *Clin Neurophysiol*. 2017;128:2334-2346
8. Bennis FC, Geertsema EE, Velis DN, Reus EE, Visser GH. The use of single bipolar scalp derivation for the detection of ictal events during long-term EEG monitoring. *Epileptic Disord*. 2017;19:307-314
9. Geertsema EE, van 't Klooster MA, van Klink NEC, Leijten FSS, van Rijen PC, Visser GH, Kalitzin SN, Zijlmans M. Non-harmonicity in the intra-operative electrocorticogram as an objective identifier of epileptic tissue during epilepsy surgery. *Clin Neurophysiol* 2017;128:153-64

10. Arends JB, van der Linden I, Ebus SC, Debeij MH, **Gunning BW**, Zwarts MJ. Value of re-interpretation of controversial EEGs in a tertiary epilepsy clinic. Clin Neurophysiol. 2017;128:661–666
11. Gollwitzer S, Scott CA, Farrell F, Bell GS, de Tisi J, Walker MC, Wehner T, **Sander JW**, Hamer HM, Diehl B. The long-term course of temporal lobe epilepsy: From unilateral to bilateral interictal epileptiform discharges in repeated video-EEG monitorings. Epilepsy Behav. 2017;68:17–21

-Genetica en Epilepsie-

Anti-epileptica, zwangerschap en het kind

12. de Lange IM, Rump P, Neuteboom RF, **Augustijn PB**, Hodges K, Kistemaker AI, Brouwer OF, Mancini GMS, Newman HA, Vos YJ, Helbig KL, Peeters-Scholte C, Kriek M, Knoers NV, **Lindhout D**, Koeleman BPC, van Kempen MJA, **Brilstra EH**. Male patients affected by mosaic PCDH19 mutations: five new cases. Neurogenetics. 2017;18:147–153
13. **Berghuis B, van der Palen J, de Haan GJ, Lindhout D**, Koeleman BPC, **Sander JW**; EpiPGX Consortium. Carbamazepine- and oxcarbazepine-induced hyponatremia in people with epilepsy. Epilepsia. 2017;58:1227–1233
14. Møller RS, Wuttke TV, Helbig I, Marini C, Johannesen KM, **Brilstra EH**, Vaher U, Borggraefe I, Talvik I, Talvik T, Kluger G, Francois LL, Lesca G, de Bellescize J, Blichfeldt S, Chatron N, Holert N, Jacobs J, Swinkels M, Betzler C, Syrbe S, Nikanorova M, Myers CT, Larsen LH, Vejzovic S, Pendziwiat M, von Spiczak S, Hopkins S, Dubbs H, Mang Y, Mukhin K, Holthausen H, van Gassen KL, Dahl HA, Tommerup N, Mefford HC, Rubboli G, Guerrini R, Lemke JR, Lerche H, Muhle H, Maljevic S. Mutations in GABRB3: From febrile seizures to epileptic encephalopathies. Neurology. 2017;88:483–492
15. Wolff M, Johannesen KM, Hedrich UBS, Masnada S, Rubboli G, Gardella E, Lesca G, Ville D, Milh M, Villard L, Afenjar A, Chantot-Bastarud S, Mignot C, Lardennois C, Nava C, Schwarz N, Gérard M, Perrin L, Doummar D, Auvin S, Miranda MJ, Hempel M, **Brilstra EH**, Knoers N, Verbeek N, van Kempen M, Braun KP, Mancini G, Biskup S, Hörtnagel K, Döcker M, Bast T, Loddenkemper T, Wong-Kisiel L, Baumeister FM, Fazeli W, Striano P, Dilena R, Fontana E, Zara F, Kurlemann G, Klepper J, Thoene JG, Arndt DH, Deconinck N, Schmitt-Mechelke T, Maier O, Muhle H, Wical B, Finetti C, Brückner R, Pietz J, Golla G, Jillella D, Linnet KM, Charles P, Moog U, Öiglane-Shlik E, Mantovani JF, Park K, Deprez M, Lederer D, Mary S, Scalais E, Selim L, Van Coster R, Lagae L, Nikanorova M, Hjalgrim H, Korenke GC, Trivisano M, Specchio N, Ceulemans B, Dorn T, Helbig KL, Hardies K, Stamberger H, de Jonghe P, Weckhuysen S, Lemke JR, Krägeloh-Mann I, Helbig I, Kluger G, Lerche H, Møller RS. Genetic and phenotypic heterogeneity suggest therapeutic implications in SCN2A-related disorders. Brain. 2017; 140:1316–1336

16. de Kovel CGF, Syrbe S, **Brilstra EH**, **Verbeek N**, Kerr B, Dubbs H, Bayat A, Desai S, Naidu S, Srivastava S, Cagaylan H, Yis U, Saunders C, Rook M, Plugge S, Muhle H, Afawi Z, Klein KM, Jayaraman V, Rajagopalan R, Goldberg E, Marsh E, Kessler S, Bergqvist C, Conlin LK, Krok BL, Thiffault I, Pendziwiat M, Helbig I, Polster T, Borggraefe I, Lemke JR, van den Boogaardt MJ, Møller RS, Koeleman BPC. Neurodevelopmental Disorders Caused by De Novo Variants in KCNB1 Genotypes and Phenotypes. *JAMA Neurol.* 2017;74:1228–1236
17. Platzer K, Yuan H, Schütz H, Winschel A, Chen W, Hu C, Kusumoto H, Heyne HO, Helbig KL, Tang S, Willing MC, Tinkle BT, Adams DJ, Depienne C, Keren B, Mignot C, Frengen E, Strømme P, Biskup S, Döcker D, Strom TM, Mefford HC, Myers CT, Muir AM, LaCroix A, Sadleir L, Scheffer IE, **Brilstra EH**, van Haelst MM, van der Smagt JJ, Bok LA, Møller RS, Jensen UB, Millichap JJ, Berg AT, Goldberg EM, De Bie I, Fox S, Major P, Jones JR, Zackai EH, Abou Jamra R, Rolfs A, Leventer RJ, Lawson JA, Roscioli T, Jansen FE, Ranza E, Korff CM, Lehesjoki AE, Courage C, Linnankivi T, Smith DR, Stanley C, Mintz M, McKnight D, Decker A, Tan WH, Tarnopolsky MA, Brady LI, Wolff M, Dondit L, Pedro HF, Parisotto SE, Jones KL, Patel AD, Franz DN, Vanzo R, Marco E, Ranells JD, Di Donato N, Dobyns WB, Laube B, Traynelis SF, Lemke JR. GRIN2B encephalopathy: novel findings on phenotype, variant clustering, functional consequences and treatment aspects. *J Med Genet.*;54:460–470
18. Redin C, Brand H, Collins RL, Kammin T, Mitchell E, Hodge JC, Hanscom C, Pillalamarri V, Seabra CM, Abbott MA, Abdul-Rahman OA, Aberg E, Adley R, Alcaraz-Estrada SL, Alkuraya FS, An Y, Anderson MA, Antolik C, Anyane-Yeboa K, Atkin JF, Bartell T, Bernstein JA, Beyer E, Blumenthal I, Bongers EM, **Brilstra EH**, Brown CW, Brüggewirth HT, Callewaert B, Chiang C, Corning K, Cox H, Cuppen E, Currall BB, Cushing T, David D, Deardorff MA, Dheedene A, D'Hooghe M, de Vries BB, Earl DL, Ferguson HL, Fisher H, FitzPatrick DR, Gerrol P, Giachino D, Glessner JT, Gliem T, Grady M, Graham BH, Griffis C, Gripp KW, Gropman AL, Hanson-Kahn A, Harris DJ, Hayden MA, Hill R, Hochstenbach R, Hoffman JD, Hopkin RJ, Hubshman MW, Innes AM, Irons M, Irving M, Jacobsen JC, Janssens S, Jewett T, Johnson JP, Jongmans MC, Kahler SG, Koolen DA, Korzelius J, Kroisel PM, Lacassie Y, Lawless W, Lemyre E, Leppig K, Levin AV, Li H, Li H, Liao EC, Lim C, Lose EJ, Lucente D, Macera MJ, Manavalan P, Mandrile G, Marcelis CL, Margolin L, Mason T, Masser-Frye D, McClellan MW, Mendoza CJ, Menten B, Middelkamp S, Mikami LR, Moe E, Mohammed S, Mononen T, Mortenson ME, Moya G, Nieuwint AW, Ordulu Z, Parkash S, Pauker SP, Pereira S, Perrin D, Phelan K, Aguilar RE, Poddighe PJ, Pregno G, Raskin S, Reis L, Rhead W, Rita D, Renkens I, Roelens F, Ruliera J, Rump P, Schilit SL, Shaheen R, Sparkes R, Spiegel E, Stevens B, Stone MR, Tagoe J, Thakuria JV, van Bon BW, van de Kamp J, van Der Burgt I, van Essen T, van Ravenswaaij-Arts CM, van Roosmalen MJ, Vergult S, Volker-Touw CM, Warburton DP, Waterman MJ, Wiley S, Wilson A, Yerena-de Vega MC, Zori RT, Levy B, Brunner HG, de Leeuw N, Kloosterman WP, Thorland EC, Morton CC, Gusella JF, Talkowski ME. The genomic landscape of balanced cytogenetic abnormalities associated with human congenital anomalies. *Nat Genet.* 2017;49:36–45
19. Weeke LC, **Brilstra EH**, Braun KP, Zonneveld-Huijssoon E, Salomons GS, Koeleman BP, van Gassen KL, van Straaten HL, Craiu D, de Vries LS. Neurodevelopmental Disorders Caused by De Novo Variants in KCNB1 Genotypes and Phenotypes. *Eur J Paediatr Neurol.* 2017;21:396–403

20. Vilan A, Mendes Ribeiro J, Striano P, Weckhuysen S, Weeke LC, **Brilstra EH**, de Vries LS, Cilio MR. A Distinctive Ictal Amplitude-Integrated Electroencephalography Pattern in Newborns with Neonatal Epilepsy Associated with KCNQ2 Mutations. *Neonatology*. 2017;112:387–393
21. Meador KJ, **Lindhout D**. Epilepsy and unintended pregnancies. *Epilepsy and unintended pregnancies*. *Neurology*. 2017;88:724–725
22. Helbig I, **Lindhout D**. Advancing the phenome alongside the genome in epilepsy studies. *Neurology*. 2017;89:14–15
23. Sabers A, Battino D, Bonizzoni E, Craig J, **Lindhout D**, Perucca E, Thomas SV, Tomson T, Vajda F. Maternal and fetal outcomes associated with vagus nerve stimulation during pregnancy. *Epilepsy Res*. 2017;137:159–162

–Epilepsie, slaap en stress–

24. van der Heijden KB, Vermeulen MCM, **Donjacour CEHM**, Gordijn MCM, Hamburger HL, Meijer AM, van Rijn KJ, Vlak M, Weysen T. Chronic sleep reduction is associated with academic achievement and study concentration in higher education students. *J Sleep Res*. 2017;doi:10.1111/jsr.12596
25. van Oosterhout W, van Someren E, Schoonman GG, Louter MA, **Lammers GJ**, Ferrari MD, Terwindt GM. Chronotypes and circadian timing in migraine. *Cephalalgia*. 2017;333102417698953 doi:10.1177/0333102417698953
26. Pardi D, Buman M, Black J, **Lammers GJ**, Zeitzer JM. Eating Decisions Based on Alertness Levels After a Single Night of Sleep Manipulation: A Randomized Clinical Trial. *Sleep*. 2017;40 doi:10.1093/sleep/zsw039
27. **Lammers GJ**. Sleep in 2016: methodological issues and progress. *Lancet Neurol*. 2017;16:15–17
28. **van Iterson L**, de Jong PF. Development of verbal short-term memory and working memory in children with epilepsy: Developmental delay and impact of time-related variables. A cross-sectional study. *Epilepsy Behav*. 2017;S1525–5050:30577
29. **van 't Klooster MA**, van Klink NE, van Blooij D, Ferrier CH, Braun KP, Leijten FS, Huiskamp GJ, **Zijlmans M**. Evoked versus spontaneous high frequency oscillations in the chronic electrocorticogram in focal epilepsy. *Clin Neurophysiol* 2017;128:858–66
30. **van 't Klooster MA**, van Klink NEC, Zweiphenning WJE, Leijten FSS, Zelmann R, Ferrier CH, van Rijen PC, Brun KPJ, Huiskamp GJM, **Zijlmans M**. Tailoring epilepsy surgery with fast ripples in the intra-operative electrocorticogram. *Ann Neurol* 2017;81:664–76

31. Bell GS, de Tisi J, Gonzalez–Fraile JC, Peacock JL, McEvoy AW, Harkness WFJ, Foong J, Pope RA, Diehl B, **Sander JW**, Duncan JS. Factors affecting seizure outcome after epilepsy surgery: an observational series. *J Neurol Neurosurg Psychiatry*. 2017;88:933–940
32. Gooneratne IK, Mannan S, de Tisi J, Gonzalez JC, McEvoy AW, Miserocchi A, Diehl B, Wehner T, Bell GS, **Sander JW**, Duncan JS. Somatic complications of epilepsy surgery over 25 years at a single center. *Epilepsy Res*. 2017;132:70–77
33. **Wassenaar M**, Leijten FSS, **de Haan GJ**, Uijl SG, **Sander JW**. Electro–clinical criteria and surgical outcome: Is there a difference between mesial and lesional temporal lobe epilepsy? *Acta Neurol Scand*. 2017;36:708–714
34. **Zijlmans M**, Worrell GA, Dümpelmann M, Stieglitz T, Barborica A, Heers M, Ikeda A, Usui N, Le Van Quyen M. How to record high–frequency oscillations in epilepsy: A practical guideline. *Epilepsia* 2017;58:1305-1315
35. Mooij AH, Raijmann RCMA, Jansen FE, Braun KPJ, **Zijlmans M**. Physiological Ripples (± 100 Hz) in Spike–Free Scalp EEGs of Children With and Without Epilepsy. *Brain Topogr*. 2017; 30:739–746
36. **Zijlmans M**, van Campen JS, **de Weerd A**. Post traumatic stress–sensitive epilepsy. *Seizure* 2017;52:20–21

–Neuropathologie en Epilepsie–

37. Scholl T, Mühlebner A, Ricken G, Gruber V, Fabing A, Samueli S, Gröppel G, Dorfer C, Czech T, Hainfellner JA, Prabowo AS, Reinten RJ, Hoogendijk L, Anink JJ, **Aronica E**, Feucht M. Impaired oligodendroglial turnover is associated with myelin pathology in focal cortical dysplasia and tuberous sclerosis complex. *Brain Pathol*. 2017;27:770–780
38. Lapinlampi N, Melin E, **Aronica E**, Bankstahl JP, Becker A, Bernard C, Gorter JA, Gröhn O, Lipsanen A, Lukasiuk K, Löscher W, Paananen J, Ravizza T, Roncon P, Simonato M, Vezzani A, Kokaia M, Pitkänen A. Common data elements and data management: Remedy to cure underpowered preclinical studies. *Epilepsy Res*. 2017;129:87–90
39. Iori V, Iyer AM, Ravizza T, Beltrame L, Paracchini L, Marchini S, Cerovic M, Hill C, Ferrari M, Zucchetti M, Molteni M, Rossetti C, Brambilla R, Steve White H, D'Incalci M, **Aronica E**, Vezzani A. Blockade of the IL–1R1/TLR4 pathway mediates disease–modification therapeutic effects in a model of acquired epilepsy. *Neurobiol Dis*. 2017;99:12–23
40. Rossini L, Villani F, Granata T, Tassi L, Tringali G, Cardinale F, **Aronica E**, Spreafico R, Garbelli R. FCD Type II and mTOR pathway: Evidence for different mechanisms involved in the pathogenesis of dysmorphic neurons. *Epilepsy Res*. 2017;129:46–156

41. **Aronica E**, Bauer S, Bozzi Y, Caleo M, Dingledine R, Gorter JA, Henshall DC, Kaufer D, Koh S, Löscher W, Louboutin JP, Mishto M, Norwood BA, Palma E, Poulter MO, Terrone G, Vezzani A, Kaminski RM. Neuroinflammatory targets and treatments for epilepsy validated in experimental models. *Epilepsia*. 2017;58:27–38
42. Pauletti A, Terrone G, Shekh–Ahmad T, Salamone A, Ravizza T, Rizzi M, Pastore A, Pascente R, Liang LP, Villa BR, Balosso S, Abramov AY, van Vliet EA, Del Giudice E, **Aronica E**, Antoine DJ, Patel M, Walker MC, Vezzani A. Targeting oxidative stress improves disease outcomes in a rat model of acquired epilepsy. *Brain*. 2017;140:1885–1899
43. Milenkovic I, Jarc J, Dassler E, **Aronica E**, Iyer A, Adle–Biassette H, Scharrer A, Reischer T, Hainfellner JA, Kovacs GG. The physiological phosphorylation of tau is critically changed in fetal brains of individuals with Down syndrome. *Neuropathol Appl Neurobiol*. 2017;doi:10.1111/nan.12406
44. Broekaart DWM, van Scheppingen J, Geijtenbeek KW, Zuidberg MRJ, Anink JJ, Baayen JC, Mühlebner A, **Aronica E**, Gorter JA, van Vliet EA. Increased expression of (immuno)proteasome subunits during epileptogenesis is attenuated by inhibition of the mammalian target of rapamycin pathway. *Epilepsia*. 2017;58:1462–1472
45. Iori V, **Aronica E**, Vezzani A. Epigenetic control of epileptogenesis by miR–146a. *Oncotarget*. 2017;8:45040–45041
46. Mills JD, Iyer AM, van Scheppingen J, Bongaarts A, Anink JJ, Janssen B, Zimmer TS, Spliet WG, van Rijen PC, Jansen FE, Feucht M, Hainfellner JA, Krsek P, Zamecnik J, Kotulska K, Jozwiak S, Jansen A, Lagae L, Curatolo P, Kwiatkowski DJ, Pasterkamp RJ, Senthilkumar K, von Oerthel L, Hoekman MF, Gorter JA, Crino PB, Mühlebner A, Scicluna BP, **Aronica E**. Coding and small non–coding transcriptional landscape of tuberous sclerosis complex cortical tubers: implications for pathophysiology and treatment. *Sci Rep*. 2017;7:8089
47. Bongaarts A, Giannikou K, Reinten RJ, Jasper J, Anink JJ, Mills JD, Jansen FE, Spliet WGM, den Dunnen WFA, Coras R, Blümcke I, Paulus W, Scholl T, Feucht M, Kotulska K, Jozwiak S, Buccoliero A, Caporalini C, Giordano F, Genitori F, Söylemezoğlu F, Pimentel J, Nellist M, Schouten–van Meeteren AYN, Nag A, Mühlebner A, Kwiatkowski DJ, **Aronica E**. Subependymal giant cell astrocytomas in tuberous sclerosis complex have consistent TSC1/TSC2 biallelic inactivation, and no BRAF mutations. *Oncotarget*. 2017;8:95516–95529
48. Thom M, Liu J, Bongaarts A, Reinten RJ, Paradiso B, Jäger HR, Reeves C, Somani A, An S, Marsdon D, McEvoy A, Miserocchi A, Thorne L, Newman F, Bucur S, Honavar M, Jacques T, **Aronica E**. Multinodular and vacuolating neuronal tumors in epilepsy: dysplasia or neoplasia? *Brain Pathol*. 2017;doi:10.1111/bpa.12555
49. Korotkov A, Mills JD, Gorter JA, van Vliet EA, **Aronica E**. Systematic review and meta–analysis of differentially expressed miRNAs in experimental and human temporal lobe epilepsy. *Sci Rep*. 2017;7:11592

50. van Vliet EA, Puhakka N, Mills JD, Srivastava PK, Johnson MR, Roncon P, Das Gupta S, Karttunen J, Simonato M, Lukasiuk K, Gorter JA, **Aronica E**, Pitkänen A. Standardization procedure for plasma biomarker analysis in rat models of epileptogenesis: Focus on circulating microRNAs. *Epilepsia*. 2017;doi:10.1111/epi.13915
51. van Vliet EA, **Aronica E**, Vezzani A, Ravizza T. Neuroinflammatory pathways as treatment targets and biomarker candidates in epilepsy: emerging evidence from preclinical and clinical studies. *Neuropathol Appl Neurobiol*. 2017;doi:10.1111/nan.12444
52. Scheldeman C, Mills JD, Siekierska A, Serra I, Copmans D, Iyer AM, Whalley BJ, Maes J, Jansen AC, Lagae L, **Aronica E**, de Witte PAM. mTOR-related neuropathology in mutant tsc2 zebrafish: Phenotypic, transcriptomic and pharmacological analysis. *Neurobiol Dis*. 2017;108:225–237
53. Palma E, Ruffolo G, Cifelli P, Roseti C, van Vliet EA, **Aronica E**. Modulation of GABAA receptors in the treatment of epilepsy. *Curr Pharm Des*. 2017;doi:10.2174/1381612823666170809100230
54. Blumcke I, Spreafico R, Haaker G, Coras R, Kobow K, Bien CG, Pfäfflin M, Elger C, Widman G, Schramm J, Becker A, Braun KP, Leijten F, Baayen JC, **Aronica E**, Chassoux F, Hamer H, Stefan H, Rössler K, Thom M, Walker MC, Sisodiya SM, Duncan JS, McEvoy AW, Pieper T, Holthausen H, Kudernatsch M, Meencke HJ, Kahane P, Schulze-Bonhage A, Zentner J, Heiland DH, Urbach H, Steinhoff BJ, Bast T, Tassi L, Lo Russo G, Özkara C, Oz B, Krsek P, Vogelgesang S, Runge U, Lerche H, Weber Y, Honavar M, Pimentel J, Arzimanoglou A, Ulate-Campos A, Noachtar S, Hartl E, Schijns O, Guerrini R, Barba C, Jacques TS, Cross JH, Feucht M, Mühlebner A, Grunwald T, Trinkka E, Winkler PA, Gil-Nagel A, Toledano Delgado R, Mayer T, Lutz M, Zountsas B, Garganis K, Rosenow F, Hermsen A, von Oertzen TJ, Diepgen TL, Avanzini G; EEBB Consortium. Histopathological Findings in Brain Tissue Obtained during Epilepsy Surgery. *Histopathological Findings in Brain Tissue Obtained during Epilepsy Surgery*. *N Engl J Med*. 2017;377:1648–1656

***–Preventie van vroegtijdig overlijden bij Epilepsie, SUDEP–
Dravet en Syncope***

55. Schoonjans A, Paelinck BP, Marchau F, **Gunning B**, Gammaitoni A, Galer BS, Lagae L, Ceulemans B. Low-dose fenfluramine significantly reduces seizure frequency in Dravet syndrome: a prospective study of a new cohort of patients. *Eur J Neurol*. 2017;24:309–314
56. Stern WM, **Sander JW**, Rothwell JC, Sisodiya SM. Impaired intracortical inhibition demonstrated in vivo in people with Dravet syndrome. *Neurology*. 2017;88:1659–1665
57. Ge Y, Ding D, Zhang Q, Yang B, Wang T, Li B, Wang J, Luo J, Kwan P, Wang W, Hong Z, **Sander JW**. Incidence of sudden unexpected death in epilepsy in community-based cohort in China. *Epilepsy Behav*. 2017;76:76–83

58. Harden C, Tomson T, Gloss D, Buchhalter J, Cross JH, Donner E, French JA, Gil-Nagel A, Hesdorffer DC, Smithson WH, Spitz MC, Walczak TS, **Sander JW**, Ryvlin P. Practice Guideline Summary: Sudden Unexpected Death in Epilepsy Incidence Rates and Risk Factors: Report of the Guideline Development, Dissemination, and Implementation Subcommittee of the American Academy of Neurology and the American Epilepsy Society. *Epilepsy Curr.* 2017;17:180–187
59. Harden C, Tomson T, Gloss D, Buchhalter J, Cross JH, Donner E, French JA, Gil-Nagel A, Hesdorffer DC, Smithson WH, Spitz MC, Walczak TS, **Sander JW**, Ryvlin P. Practice guideline summary: Sudden unexpected death in epilepsy incidence rates and risk factors: Report of the Guideline Development, Dissemination, and Implementation Subcommittee of the American Academy of Neurology and the American Epilepsy Society. *Neurology.* 2017;88:1674–1680
60. Hampel KG, **Thijs RD**, Elger CE, Surges R. Recurrence risk of ictal asystole in epilepsy. *Neurology.* 2017;89:785–791
61. Snijders Blok MR, de Lange FJ, **Thijs RD**, van Dijk JG, Wieling W, van Dijk N. Driving status of syncope patients is not part of standard advice]. *Ned Tijdschr Geneeskd.* 2017;161):D1328
62. **Verbeek N**, Kasteleijn-Nolst Trenité D, **Wassenaar M**, van Campen J, Sonsma A, **Gunning WB**, **de Weerd A**, Knoers N, Spetgens W, **Gutter T**, Leijten F, **Brilstra E**. Photosensitivity in Dravet syndrome is under-recognized and related to prognosis. *Clin Neurophysiol.* 2017;128:323–330

-Farmacologie-

63. Ferlazzo E, Trenite DK, **de Haan GJ**, Felix Nitschke F, Ahonen S, Gasparini S, Minassian BA. Update on pharmacological treatment of Progressive Myoclonus Epilepsies. *Curr Pharm Des.* 2017;doi:10.2174/1381612823666170809114654
64. Giussani G, Bianchi E, Canelli V, Erba G, Franchi C, Nobili A, **Sander JW**, Beghi E; EPIRES Group. Antiepileptic drug discontinuation by people with epilepsy in the general population. *Epilepsia* 2017;58):1524–1532
65. Androsova G, Krause R, Borghei M, **Wassenaar M**, Auce P, Avbersek A, Becker F, Berghuis B, Campbell E, Coppola A, Francis B, Wolking S, Cavalleri GL, Craig J, Delanty N, Koeleman BPC, Kunz WS, Lerche H, Marson AG, **Sander JW**, Sills GJ, Striano P, Zara F, Sisodiya SM, Depondt C; EpiPGX Consortium. Comparative effectiveness of antiepileptic drugs in patients with mesial temporal lobe epilepsy with hippocampal sclerosis. *Epilepsia.* 2017;58:1734–1741
66. Wehner T, Mannan S, Turaga S, Vallabhaneni K, Yip HM, Wiggans C, Shankar R, Duncan JS, **Sander JW**. Retention of perampanel in adults with pharmacoresistant epilepsy at a single tertiary care center. *Epilepsy Behav.* 2017;73:106–110

67. Patsalos PN, Zugman M, Lake C, James A, Ratnaraj N, **Sander JW**. Serum protein binding of 25 antiepileptic drugs in a routine clinical setting: A comparison of free non-protein-bound concentrations. *Epilepsia*. 2017;58:1234–1243
68. Shankar R, Henley W, Wehner T, Wiggins C, McLean B, Pace A, Mohan M, Sadler M, Doran Z, Hudson S, Allard J, **Sander JW**. Perampanel in the general population and in people with intellectual disability: Differing responses. *Seizure*. 2017;49:30–35
69. Yuen AWC, Walcutt IA, **Sander JW**. An acidosis-sparing ketogenic (ASK) diet to improve efficacy and reduce adverse effects in the treatment of refractory epilepsy. *Epilepsy Behav*. 2017;74:15–21
70. Gao H, **Sander JW**, Du X, Chen J, Zhu C, Zhou D. Smoking prevalence and seizure control in Chinese males with epilepsy. *Epilepsy Behav*. 2017;73:268–272
71. Brenner J, Majoie HJM, **van Beek S**, Carpay JA. The retention of lacosamide in patients with epilepsy and intellectual disability in three specialised institutions. *Seizure*. 2017;52:123–130

-Diverse onderwerpen-

72. **de Haan GJ**, **Thijs R**, **Deckers C**, **Wildenberg I**, **van Laerhoven C**. Epilepsy Foundation of the Netherlands (Stichting Epilepsie Instellingen Nederland [SEIN]), Heemstede and Zwolle, The Netherlands. *Epilepsy Behav*. 2017;76S:S35–S38
73. **Froklage FE**, Postnov A, Yaqub MM, Bakker E, Boellaard R, Hendrikse NH, Comans EF, Schuit RC, Schober P, **Velis DN**, **Zwemmer J**, Heimans JJ, Lammertsma AA, **Voskuyl RA**, Reijneveld JC. Altered GABAA receptor density and unaltered blood-brain barrier [¹¹C]flumazenil transport in drug-resistant epilepsy patients with mesial temporal sclerosis. *J Cereb Blood Flow Metab*. 2017;37:97–105
74. Mansor S, Yaqub M, Boellaard R, **Froklage FE**, de Vries A, Bakker ED, **Voskuyl RA**, Eriksson J, Schwarte LA, Verbeek J, Windhorst AD, Lammertsma AA. Parametric Methods for Dynamic ¹¹C-Phenytoin PET Studies. *J Nucl Med*. 2017;58:479–483
75. Chen BY, Moussaddy A, **Keezer MR**, Deschaintre Y, Poppe AY. Short- and Long-Term Reduction of Door-to-Needle Time in Thrombolysis for Acute Stroke. *Can J Neurol Sci*. 2017;44:255–260
76. Watila MM, **Keezer MR**, Angwafor SA, Winkler AS, **Sander JW**. Health service provision for people with epilepsy in sub-Saharan Africa: A situational review. *Epilepsy Behav*. 2017;70:24–32
77. Bui KA, J Abdaem J, Gore GC, **Keezer MR**, P.002 Improving the quality of systematic reviews of neurological conditions with more accurate search strategies: a series of validation studies The Canadian journal of neurological sciences 2017;44:S14–S15

78. Sinke MR, **Otte WM**, van Meer MP, van der Toorn A, Dijkhuizen RM. Modified structural network backbone in the contralesional hemisphere chronically after stroke in rat brain. *J Cereb Blood Flow Metab.* 2017;271678X17713901
79. Camargo N, Goudriaan A, van Deijk AF, **Otte WM**, Brouwers JF, Lodder H, Gutmann DH, Nave KA, Dijkhuizen RM, Mansvelter HD, Chrast R, Smit AB, Verheijen MHG. Oligodendroglial myelination requires astrocyte-derived lipids. *PLoS Biol.* 2017;15:e1002605
80. Roelofs TJM, Verharen JPH, van Tilborg GAF, Boekhoudt L, van der Toorn A, de Jong JW, Lujendijk MCM, **Otte WM**, Adan RAH, Dijkhuizen RM. A novel approach to map induced activation of neuronal networks using chemogenetics and functional neuroimaging in rats: A proof-of-concept study on the mesocorticolimbic system. *Neuroimage.* 2017;156:109–118
81. Demuth HU, Dijkhuizen RM, Farr TD, Gelderblom M, Horsburgh K, Iadecola C, Mcleod DD, Michalski D, Murphy TH, Orbe J, **Otte WM**, Petzold GC, Plesnila N, Reiser G, Reymann KG, Rueger MA, Saur D, Savitz SI, Schilling S, Spratt NJ, Turner RJ, Vemuganti R, Vivien D, Yepes M, Zille M, Boltze J; ISN&N meeting contributors. Recent progress in translational research on neurovascular and neurodegenerative disorders. *Restor Neurol Neurosci.* 2017;35:87–103
82. Zhang L, **Sander JW**, Zhang L, Jiang XY, Wang W, Shuang K, Abdulaziz ATA, Wu MQ, Chi XS, Li JM, Zhou D. Suicidality is a common and serious feature of anti-N-methyl-D-aspartate receptor encephalitis. *J Neurol.* 2017; doi: 10.1007/s00415-017-8626-5
83. von Bredow L, Finley R, **Sander JW**. The Chalfont Centre, Bucks, United Kingdom. *Epilepsy Behav.* 2017;76S:S50–S52
84. Del Felice A, Alderighi M, Martinato M, Grisafi D, Bosco A, Thompson PJ, **Sander JW**, Masiero S. Memory Rehabilitation Strategies in Nonsurgical Temporal Lobe Epilepsy: A Review. *Am J Phys Med Rehabil.* 2017;96:506–514
85. Novy J, Bell GS, Peacock JL, Sisodiya SM, **Sander JW**. Epilepsy as a systemic condition: Link with somatic comorbidities. *Acta Neurol Scand.* 2017;136:352–359
86. Yuen AW, **Sander JW**. Can natural ways to stimulate the vagus nerve improve seizure control? *Epilepsy Behav.* 2017;67:105–110
87. Stern WM, Winston JS, Murphy E, Cross JH, **Sander JW**. Guanidinoacetate methyltransferase (GAMT) deficiency: a rare but treatable epilepsy. *Pract Neurol.* 2017;17:207–211
88. Levira F, Thurman DJ, **Sander JW**, Hauser WA, Hesdorffer DC, Masanja H, Odermatt P, Logroscino G, Newton CR; Epidemiology Commission of the International League Against Epilepsy. Premature mortality of epilepsy in low- and middle-income countries: A systematic review from the Mortality Task Force of the International League Against Epilepsy. *Epilepsia.* 2017;58:6–16

89. Thurman DJ, Logroscino G, Beghi E, Hauser WA, Hesdorffer DC, Newton CR, Scorza FA, **Sander JW**, Tomson T; Epidemiology Commission of the International League Against Epilepsy. The burden of premature mortality of epilepsy in high-income countries: A systematic review from the Mortality Task Force of the International League Against Epilepsy. *Epilepsia*. 2017;18:17–26
90. **Shmuelly S, van der Lende M, Lamberts RJ, Sander JW, Thijs RD**. The heart of epilepsy: Current views and future concepts. *Seizure*. 2017;44:176–183
91. van Sonderen A, Roelen DL, Stoop JA, Verdijk RM, Haasnoot GW, **Thijs RD**, Wirtz PW, Schreurs MW, Claas FH, Sillevs Smitt PA, Titulaer MJ. Anti-LGI1 encephalitis is strongly associated with HLA-DR7 and HLA-DRB4. *Ann Neurol*. 2017;81:193–198

Hoofdstukken in boeken

Aronica E., Mühlebner A., van Vliet E., Gorter J. Models of Seizure and Epilepsy, Second Edition Technical and methodological issues. Characterization of pathology 2017

Aronica E., Mühlebner A. Neuropathology of Epilepsy. *Handb Clin Neurol*. 2017;145:193–216